

*NAT* = 2,550. #3 c.f.s.

S. 100. 86 Ac. ft.

Daily	Discharge	Sheet	SAN PITCH RIVER COMMISSIONER'S REPORT for the month of MAY 1966																																		
			Name	TOTAL	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	C.F.E.	
1	San Pitch R. abv div																																				
2	West Milburn ditch	140.38	188	188	2.13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
3	East Milburn ditch	212.10	2.08	2.08	2.38	2.38	2.38	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	
4	Meadow ditch	195.90	1.93	1.93	2.08	2.38	2.38	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	
5	Sheep ditch	56.10	1.5	1.5	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	
6	Mower ditch	25.74	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12	1.12			
7	Brady ditch	183.34	2.73	2.73	1.98	1.98	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75	2.75			
8	Graveyard ditch	109.32	1.5	1.38	1.38	1.75	1.75	1.5	1.5	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75		
9	San Pitch City ditch	154.82	1.82	1.95	1.95	1.85	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	
10	Miner-Turpin ditch	87.36	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56	1.56		
11	M and M canal	815.08	8.08	9.36	9.36	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0		
12	Olsen-Seely ditch	62.00	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
13	Olsen-Seely Springs																																				
14	Frandsen-McArthur c.	375.98	3.53	3.72	5.12	6.5	6.5	6.5	6.0	6.0	4.25	4.5	4.5	6.5	6.79	6.79	6.79	6.79	6.79	6.79	6.79	6.79	6.79	6.79	6.79	6.79	6.79	6.79	6.79	6.79	6.79	6.79	6.79	6.79	6.79		
15	Moroni City ditch	573.28	8.7	7.5	7.5	9.83	9.83	9.83	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	
16	Moroni canal	874.84	8.5	9.0	9.0	9.0	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29	15.29		
17	Moroni spring ditch	258.50	3.5	2.5	4.0	4.5	4.5	4.5	4.0	3.75	3.5	3.5	3.5	3.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5
18	Rock Dam # 1 canal	219.36	1.52	1.56	2.08	5.25	4.18	5.50	5.25	4.25	4.25	9.50	3.50	3.50	4.5	7.73	7.73	7.73	7.73	7.73	7.73	7.73	7.73	4.43	4.43	3.25	2.5	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25	
19	Rock Dam # 2 canal	219.36	1.52	1.56	2.08	5.25	4.18	5.5	5.25	4.25	3.5	3.5	4.5	7.73	7.73	7.73	7.73	4.43	4.43	3.25	2.5	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25	2.25
20	Bagnal ditch	243.70	4.0	4.0	4.5	5.5	5.5	6.5	6.75	5.25	4.0	4.0	4.0	4.25	4.25	3.75	3.75	3.75	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25
21	West Point canal	243.70	4.0	4.0	4.5	5.5	5.5	6.5	6.75	5.25	4.0	4.0	4.0	4.25	4.25	3.75	3.75	3.75	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25	3.25
	T O T A L S	5,100.86	60.55	60.1	64.32	82.34	84.87	90.3	87.01	80.33	77.68	74.27	84.56	96.67	98.35	97.20	89.08	86.93	84.74	83.08	83.93	83.93	84.48	84.88	84.6	84.6	84.41	84.78	84.78	84.49	81.16	78.81	77.43	2,550.43	2,550.43		

All flows are measured in c.f.s.

**IRRIGATION BY SEASON  
DISTRIBUTION BY COMMISSIONER**

Blaine Chaper Commissioner